MERCHANT EXPORTER · GONDAL, GUJARAT, INDIA

Truth – Love – Compassion

VP GLOBAL EXIM

Tiles

PRODUCT CATALOGUE · 2026

OUR SEVEN RANGES

INDUSTRIAL MINERALS ◆ SPICES ◆ ENGINEERING COMPONENTS ◆ **TILES**
BUILDING MATERIALS ◆ SANITARY WARE ◆ APPAREL

www.vpglobalexim.com | info@vpglobalexim.com | +91 98989 89318

ABOUT US

About *VP Global Exim*

An India-based merchant export company, headquartered in Gondal, Rajkot (Gujarat), connecting international buyers with trusted Indian manufacturers.

We export industrial minerals, spices, engineering components, ceramic tiles, building materials, sanitary ware and apparel. Alongside standard products, we develop customised engineering solutions from customer drawings, specifications and samples.

We are a merchant exporter, not a broker: we buy the goods, inspect them and sell them under our own name. We are also a brand owner: **VRA**, our range of chrome-plated bath fittings, gives buyers factory-direct pricing and private-label flexibility.

Our objective is not only to export products but to become a long-term sourcing partner, built on integrity, transparency and customer satisfaction.



A trusted bridge to Indian manufacturing

OUR VISION

To become a globally recognised and trusted merchant export company, delivering quality products, innovative sourcing solutions and exceptional service through long-term partnerships.

OUR MISSION

To provide reliable, cost-effective, high-quality export solutions by partnering with leading Indian manufacturers and delivering products that exceed expectations.

OUR FOUNDING PRINCIPLES

Truth · Love · Compassion

The three words beneath our logo are how we do business.

Truth

"Our word is our specification."

What we quote, test and document is exactly what you receive. If a grade, price or date is not realistic, we tell you before you commit.

Love

"We care for every order as our own."

From the factory floor to the packing line, we treat your goods as our own, and build partnerships that last for years, not one shipment.

Compassion

"Your problem becomes our problem."

We understand the deadlines, budgets and markets you answer to. When something goes wrong, we carry it and solve it with you, never pass it on.

> *International business is built on trust, quality, timely delivery and professional service. Whether you need standard products or tailor-made solutions, we work closely with our manufacturing partners so every order meets your expectations. Together, let's build a stronger global business.*
>
> — MANAGEMENT, VP GLOBAL EXIM

7	45+	6	1	24h
PRODUCT RANGES	PRODUCT LINES	EXPORT REGIONS	OWN BRAND · VRA	REPLY TO INQUIRIES


HOW WE WORK

Who carries *the risk?*

In export trade, the real test comes when something goes wrong. A sourcing agent introduces you to a factory and steps away. A merchant exporter buys the goods and sells them to you, so the responsibility stays with us.

	A SOURCING AGENT	VP GLOBAL EXIM
WHO SELLS TO YOU	A mill you have never visited	VP Global Exim, under our own name
HOW THEY EARN	Commission on the introduction, paid either way	Margin on goods we bought; we lose if the lot fails
WHO TESTS THE LOT	You do, at destination, after it has sailed	We do, before shipment, with lab and inspection reports
IF A LOT FAILS	Your problem: claim against an unknown supplier	We carry the rejected lot and replace it
ACROSS PRODUCTS	Separate supplier and shipment for each	Mixed products in one container, one invoice


FOUR THINGS WE DO ON EVERY ORDER



01

SOURCE

Select and vet the right manufacturer for your specification, volume and budget.



02

INSPECT

In-line and pre-shipment checks, lab tests and photos before the container is closed.



03

CONSOLIDATE

Combine different products into one container, on one document set.



04


SHIP

Export packing, documents and freight coordination to your port or door.

04

RANGE 04 · VP-TIL

Tiles from *Morbi, India*




Vitrified, porcelain, ceramic wall, large-format and outdoor tiles from Morbi, India's ceramic capital, selected for the traffic and installation they are going into, and packed to arrive unbroken.

Surfaces that connect the world.


PLATE 04 — IN THE RANGE



01
Vitrified tiles
Double charge, full body, GVT, PGVT



02
Porcelain tiles
Matt, gloss, lappato, structured



03
Ceramic wall tiles
Kitchen and bathroom wall ranges



04
Large-format slabs
800×1600 mm to 1200×2400 mm



05
Outdoor & parking
Anti-skid, 20 mm pavers, frost-resistant



06
Custom & private label
Your designs, branding and cartons

MOQ	Lead time	Testing	Mixed loads
One 20 ft container	Approx. 20–40 days	ISO 10545 reports on request	Several designs per container

VP-TIL · VITRIFIED & PORCELAIN

Performance for *every floor*



Sourced from Morbi, India's ceramic capital, with product selection, quality inspection, export packing and documentation coordinated for international buyers.

Surfaces that connect the world.

Vitrified *tiles*

Double charge	Two layers of pigmented powder for a substantial wear surface under heavy foot traffic
Full body	Colour and composition run through the body, for industrial and heavy-commercial use
GVT	Digitally printed glaze over a vitrified body: marble, stone, wood, concrete and terrazzo looks
PGVT	Polished glazed vitrified tile with a high-gloss finish; anti-stain or nano treatment available
Water absorption	Below 0.5%; full body and double charge commonly below 0.1%
Formats	600×600, 600×1200, 800×800, 800×1200, 800×1600, 900×1800, 1200×1200 mm; planks 200×1000 and 200×1200 mm
Thickness	Typically 8.5–10.5 mm; 12 mm or more for large and heavy-duty products

Porcelain *tiles*

Glazed	Fired glaze carries the design; the dense body delivers strength and low porosity
Through-body	Unglazed; colour runs through the body for areas exposed to deep abrasion
Technical	For demanding commercial and industrial applications
Finishes	Matt, satin, gloss, polished, lappato, structured, textured, anti-skid
Formats	300×600 to 1200×1200 mm, 800×1600 mm, wood-look planks, mosaics, large panels
Thickness	Thin panels 5–6 mm; standard 8–12 mm; external pavers 20 mm
Standards	Testing against ISO 10545 methods and ISO 13006 or regional equivalents

PERFORMANCE TESTING AVAILABLE

- Water absorption
- Breaking strength
- Abrasion resistance
- Slip resistance
- Stain & chemical resistance
- Thermal shock
- Frost resistance
- Colour fastness

VP-TIL · CERAMIC WALL & LARGE FORMAT

Walls, worktops *and statement slabs*



Lightweight glazed wall tiles with a broad decorative range, and large porcelain slabs that read like continuous stone with fewer joints.

Timeless surfaces, wider possibilities.

Ceramic *wall tiles*

Finishes	Gloss, matt, satin, textured and relief
Formats	300×450, 300×600, 250×400, 200×300, 300×300, 600×600 mm; subway 75×300 and 100×300 mm
Thickness	Typically 6–9 mm
Designs	Plain colours, marble, stone, subway, patterned, encaustic-look, relief, structured
Coordination	Base tile, matching décor, listello / border and complementary floor tile as one scheme
Applications	Kitchen splashbacks, bathrooms, hotels, retail interiors, feature walls

Large-format *slabs*

Formats	800×1600, 900×1800, 1200×1200, 1200×2400 mm and larger
Thickness	About 9 mm for walls and floors; 12 mm+ for heavy duty and worktops
Designs	Book-matched marble, continuous-vein stone, concrete, terrazzo, solid colours
Quality checks	Flatness, warpage, edge straightness, rectangularity, colour consistency
Packing	Vertical in wooden A-frames or crates, edge protection, ISPM 15 timber where required
Fabrication	Worktops, vanity tops, tables and cladding cut by bridge saw or CNC



Coordinated wall ranges




Vitrified floors



Custom & private label

VP-TIL · OUTDOOR & PARKING

Built for tougher *conditions*



Exterior tile is selected according to exposure, traffic, slip conditions and weather: driveways, car parks, terraces, pathways and pool surrounds.

Safe, strong, stylish outdoors.

RANGE

Product types	Heavy-duty parking tiles, anti-skid floor tiles, 20 mm porcelain pavers, structured porcelain, exterior cladding, steps, risers, pool coping
Formats	300×300, 400×400, 600×600, 600×900, 800×800 mm; planks, mosaics, pool profiles
Surfaces	Fine-grip terrace, structured walking, heavily textured parking, barefoot-friendly pool finishes
Applications	Driveways, terraces, balconies, podiums, car parks, forecourts, walkways, pool surrounds

PERFORMANCE

Slip	R ratings, barefoot wet-area classes, friction or pendulum values, as the market requires
Load	Thickness, breaking strength and modulus of rupture matched to vehicle type and bedding
Frost	Freeze-thaw testing for cold climates
Drainage	Falls and drainage considered with product selection

OUR QUALITY-LED PROCESS

01
Requirement
Application, size, finish, quantity, market, specification.

02
Factory selection
Matched to a suitable Morbi manufacturer.

03
Sample approval
Physical samples; full-box or mock-up for projects.

04
Specification check
Dimensions, thickness, absorption, abrasion, slip.

05
Batch & shade
One firing batch where possible; shade codes marked.

06
Pre-shipment
Dimensions, defects, shade, cartons, pallets, loading.

07
Export packing
Export cartons, pallets, strapping, corner protection.

08
Documents
Invoice, packing list, origin, test documents.

A 20 ft container is usually used for tiles because payload weight is the limit. Designs, sizes and categories can be mixed, and consolidated with sanitary ware or building materials.

VP-TIL · SPECIFICATION

Tiles *Specification*

Tiles travel further when packed right.



RANGE	SIZES / FORMATS	THICKNESS	FINISHES	MOQ	LEAD TIME
Vitrified	600×600 to 800×1600, 900×1800, 1200×1200, planks	8.5–10.5 mm; 12 mm+	Double charge, full body, GVT, PGVT	One 20 ft	20–35 days
Porcelain	300×600 to 1200×1200, 800×1600, mosaics	5–6 mm panels; 8–12 mm; 20 mm pavers	Matt, satin, gloss, polished, lappato, anti-skid	One 20 ft	20–35 days
Ceramic wall	300×450, 300×600, 250×400, 200×300, subway	6–9 mm	Gloss, matt, satin, textured, relief	One 20 ft (15–25 designs)	20–30 days
Large slabs	800×1600, 900×1800, 1200×2400 and larger	9 mm; 12 mm+ worktops	Matt, polished, satin, lappato	One 20 ft; trials consolidated	25–40 days
Outdoor / parking	300×300 to 800×800, planks, pool profiles	Heavy-duty, 20 mm pavers	Anti-skid, structured	One 20 ft	20–35 days

WATER ABSORPTION	RECTIFIED EDGES	ISO 10545 TESTS	EXPORT PACKING
Below 0.5%; under 0.1% full body	For joints down to 2 mm	Strength, abrasion, slip, frost	Cartons, pallets, A-frames, ISPM 15



Coordinated wall ranges



Book-matched slabs



Palletised and containerised

FEATURE	ADVANTAGE	BENEFIT
Shade, size and batch checked at the Morbi plant	Each design shipped from a single batch, with spare boxes	Floors that match, laid without lippage or shade mismatch

To quote, *send us*

- Range and size
- Quantity in m² or containers
- Destination port
- Finish and design (photo or code)
- Packing / branding needs
- Required delivery date

EXPORT SERVICES

From the factory *to your port*



A single partner across the export journey: sourcing, consolidation, packing, documentation and shipping.

One container, one document set.

1. **Sourcing** — Right manufacturer for your spec
2. **Consolidation** — Mixed products in one load
3. **Export packing** — Built for sea freight
4. **Documentation** — Prepared end to end
5. **Shipping** — Port-to-port or door-to-door

How each range is packed

Bulk & bags
Minerals and spices: 25 / 50 kg PP, jute or paper bags; jumbo FIBC bags; bulk.

Cartons & pallets
Tiles and sanitary ware: export cartons, pallets, A-frames for slabs.

Crates
Engineering parts: VCI-wrapped, cell-partitioned, ISPM 15 heat-treated wooden crates.

Retail-ready
Apparel, spices, VRA: your branded packs, labels, barcodes and pre-packs.

Delivery terms (Incoterms 2020), in plain words

EXW
Ex Works

You collect from the factory; you handle export clearance and freight.

FOB
Free on Board

We deliver, clear and load at the Indian port; you book the ocean freight.

CFR / CIF
Cost & Freight + Insurance

We pay ocean freight to your port (and insurance under CIF). Most common for new buyers.

DAP
Delivered at Place

We deliver to your named place; you clear import and pay duties.

Ports: shipments normally leave from Mundra or Kandla in Gujarat, close to our Rajkot base. Other Indian ports, LCL (part-container) and air freight are available on request.

HOW TO ORDER

From your inquiry *to your port*



Buying from India for the first time? This is exactly how an order with VP Global Exim works. One team handles it from start to finish, and you always know who to call.

1 Send your inquiry
Email, WhatsApp or website form: product, specification or drawing, quantity, destination.

2 We review the requirement
We check the grade, tolerance and your market's import rules, and ask about anything unclear.

3 Receive our quotation
Within 24 hours: price, MOQ, lead time, packing, Incoterm and payment terms.

4 Approve a sample
Sample, first-article report or lab report sent for approval where needed.

5 Confirm the order
Your purchase order and our proforma invoice; payment terms agreed before production.


6 Production & inspection
We follow production, inspect in-line and before shipment, and share photos and reports.

7 Packing & loading
Packed to the agreed method; loading supervised and photographed.

8 Documents & delivery
Shipping documents sent to you; we track the vessel until it reaches your port.

CHECKLIST: WHAT TO SEND FOR A FAST, ACCURATE QUOTE

- Product name, grade or drawing
- Quantity and unit (MT, pcs, m²)
- Packing and labelling needs
- Destination port and country
- Preferred delivery term (FOB, CIF...)
- Required delivery date
- Certificates your market requires
- Target price, if you have one
- Your company name and contact



Inquiry and quotation



Production and inspection



Shipment to your port

TRUTH · LOVE · COMPASSION

Our word is our specification.

CONTACT US

Let's build *together*

Send us a product, a grade or a drawing, a quantity and a destination port. You will have pricing, MOQ and lead time specific to your market within 24 hours.

CONTACT PERSONS · PHONE / WHATSAPP

Satish Goswami
CEO – International Business
+91 98989 89318
satish.goswami@vpglobalexim.com

Kashyap Goswami
Supply Chain & Logistics
+91 96622 70061
kashyap.goswami@vpglobalexim.com

Hemang Goswami
Market Intelligence
+91 76004 55458
hemang.goswami@vpglobalexim.com

GENERAL EMAIL

info@vpglobalexim.com


WEBSITE

www.vpglobalexim.com

HEAD OFFICE

Office No. 202, 2nd Floor, Landmark Arced, Palace Road,
Gondal, Rajkot – 360 311, Gujarat, India







Thank *You*

SOURCED · INSPECTED · SUPPLIED WORLDWIDE